

Lampa foto Eighteeth Curing Pen-E



Pret:

923,06 lei TVA inclusa

Descriere produs:

5 Optiuni de Fotopolimerizare : Ramp, Pulse si 3 programe de memorie personalizabile.

Putere de lucru pentru fotopolimerizare: 1200 mW/cm², 2000 mW/cm², 3000 mW/cm²

4 LED-uri de polimerizare

Lungime de unda: 385-515 nm

Cap cu rotire completa la 360 grade

Display digital mare

Putere constanta de emisie

Foarte usoara: doar 120 grame!

Design ergonomic: 19x16.5x7.5(cm)

Baterie Li-Ion puternica, rezistenta la >1200 polimerizari

Posibilitatea operarii cu ambele maini

Functie auto de power-off : 1 min, 5 min, 10 min sau 15 min.

Ramp Mode:

Intensitatea luminii: 1200mW/cm², Lungime de unda: 385-515 nm. La apasare, intensitatea luminii creste

TEHNICALDENT

Intrarea Sulfinei 94 Magurele, Ilfov. Tel: 021 312 56 60, E-mail: office@tehnicaldent.ro IBAN: RO17 RNCB

0068 0043 7192 0001 Nr. Inreg. Reg. Com.: J/09/137/99, Cod fiscal: RO 117 58 273
treptat la 1200mW/cm² in primele 5 secunde, continuand sa emita 1200mW/cm², provocand sunetul la
fiecare 5 secunde.

Pulse Mode:

Intensitatea luminii: 1200mW/cm², Lungime de unda: 385-515 nm. La apasare, intensitatea luminii este de
1200mW/cm², clipind odata la fiecare 1 secunda, provocand sunetul la fiecare 5 secunde.



Working Modes

• P1

Normal Mode

Light Intensity : 1200mw/cm²

Time Setting : 5s, 10s, 15s, 20s, 25s, 30s, 35s, 40s

• P2

High Mode

Light Intensity : 2000mw/cm²

Time Setting : 1s, 3s, 5s, 10s

• P3

Ultra Mode

Light Intensity : 3000mw/cm²

Time Setting : 1s, 3s, 5s

• P4

Pulse Mode

Light Intensity : 1200mw/cm²

Time Setting : 5s, 10s, 15s, 20s

Pulse mode

light intensity(mw/cm²)

Time(s)

• P5

Ramp Mode

Light Intensity : 1200mw/cm²

Time Setting : 5s, 10s, 15s, 20s

Ramp mode

light intensity(mw/cm²)

Time(s)

TEHNICALDENT

Intrarea Sulfinei 94 Magurele, Ilfov. Tel: 021 312 56 60, E-mail: office@tehnicaldent.ro IBAN: RO17 RNCB
0068 0043 7192 0001 Nr. Inreg. Reg. Com. : I/09/137/99 Cod fiscal: RO 117 58 273



Mod de prezentare:

Piesa de mana

Cap de polimerizare

Scut de protectie impotriva luminii

Baza de încărcare

Adaptor de alimentare (iesire tip USB C)

Protectii unica folosinta